



(10) Overview of the uphill:

	No.	PTC	% of TC
- shorter climbs	2	32	80.0
- descents	3	0	0.0
- undulated terrain	3	8	20.0

(11) Stadium area:

		Indoor working room:	
Fixed stadium area	yes	Timekeeping	yes
Fixed building	yes	Announcer	yes
Temporary stadium	no	Jury	yes
Temporary building	no	Race office	yes
Good infrastructure (access, parking, media, etc.)	yes		
Skitesting area along course/near stadium	yes		
Warm up track near the stadium	yes		

(12) Category for the stadium and course layout:

	Interval	Sprint	Skiathlon	Relay	Mass start
Stadium suitable for following competition formats	yes	yes	yes	yes	yes
Course suitable for following competition formats with					
a) Classical technique		yes			
b) Free technique		yes			
Course suitable for relay and skiathlon competition					
a) On same course					
b) Combined on different courses (C+D or D+D)					

(13) Possibility of snow making:

Very good. Snow storage to ensure competitions early in the season

(14) Map Material:

Very good

(15) Source of accurate elevation data:

LiDAR measurements from the Swedish Land Survey

(16) Safety considerations:

-

(17) General remarks:

-

(18) Date of first inspection: 2022/5/9

(19) Date of final inspection: 2022/10/2

(20) Summary of terrain characteristics

	#	at m	PHD (m)	PTC (m)	grad. (%)	avg. grad.(%)	
A-climb	■	total		0			0.0% part of TC
B-climb	■	1	178	19	19	0.0 - 27.3	9.7
		2	517	13	13	8.8 - 13.3	10.6
		total			32		
C-climb	■	total		0			0.0% part of TC
undulated terrain	■	total		8			20.0% part of TC
		total climb		40			